

SCAG
RIDE-ON
Product range 2016
available from



www.st-mach.com 01789 488450 sales@st-mach.com









- High-strength, double-tube steel frame ensures a solid foundation for years of reliable service; replaceable front caster wheel weldment.
- Cutter deck driveshaft system provides consistent, reliable power and a wide cutting height range; deck cutting heights range from 1" to 6" in 14" increments.
- Heavy-duty drive system features dual 16-cc pumps and high-torque wheel motors for responsive, dependable power.
- Up to 12 mph forward speed for maximum productivity.
- Large-capacity hydro system includes a large oil cooler to increase hydraulic component efficiency and extend system life; pump cooling fans further cool the hydraulic system.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial-grade. Tri-Plate deck is nearly ½" thick.
- ROPS (Roll-Over Protection System) standard equipment, featuring low hinge point for easy transport and storage.
- Convenient cup holder keeps beverage within reach.
- Large caster wheels feature tapered roller bearings in axles and pivots for long life; lip seal keeps grease in and dirt out.
- Flat-free caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Large 26" drive tires deliver superior traction and a smooth ride.

- Command-Comfort™ Operator Station features unprecedented levels of adjustability and ergonomics. This individualized system fights fatigue and provides maximum comfort and convenience.
 - 4-point rubber iso-mounted torsion spring suspension seat adjusts to operator's weight to provide superior comfort. Seat features full padding, forward / rearward adjustment, high back, adjustable armrests and adjustable back angle.
 - Quick-Fit[™] steering control levers are fully adjustable to provide a custom fit for maximum comfort.
 - 3-position deck lift foot pedal allows individualized comfort for operators of all heights.
- Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls.
 AUSCO disc brakes for reliable performance.
- Ultra-low center of gravity makes the Turf Tiger™ II surefooted on a wide variety of terrain.
- Large-capacity, single fuel tank with a large angled neck for easy filling. Tank provides hours of cutting without refueling; 12-gallon capacity. Tank is mounted under the seat to lower the center of gravity for better stability and handling.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Turf Tiger II. (Specific functions vary by mower model and engine.)

FUEL INJECTION

MAXIMIZE POWER AND REDUCE FUEL COSTS

The Scag® Turf Tiger™II is available with an air-cooled Kohler Command Pro EFI engine. This engine is equipped with closed-loop electronic fuel injection (EFI) to reduce fuel consumption and maximize power. The Turf Tiger II can also be outlitted with a Kawasaki F07910-DFI (digital fuel injection) liquid-cooled engine that optimizes fuel economy and maximizes your profitability.




Dual 16 cc Hydro-Gear pumps power this dependable drive system. Pump shock valves ensure reliability and long life. Cooling fans help maintain safe operating temperatures.



Heavy-duty driveshaft delivers solid, dependable power to the cutter deck. Specially engineered for ease-ofmaintenance.



Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength and GT5 (350 ft/ lbs) on 358V models. Adjustable air gap for long service life.




Oil cooler keeps hydraulic temperatures low for efficient operation, added reliability and long component life.

SCAG

TURF TIGER PROPRIE & DIESEL-POWERED

THE ULTIMATE IN POWER & PERFORMANCE

The Turf Tiger™ stands heads and tails above in power, durability and performance. No matter how challenging the terrain, the Turf Tiger makes mowing a snap. From its extra strength double-tube steel frame to the dual 16-cc hydraulic pumps and high-torque wheel motors, this cat is ready for action. The Turf Tiger features our exclusive Command-Comfort™ Operator Station with adjustable torsion spring suspension seat and Quick-Fit™ adjustable steering control levers to make your time spent in the driver's seat more comfortable and more productive.



The Turf Tiger is available with a Kohler CH730 propane-powered V-Twin engine option to meet clean air regulations in affected areas.



A strong 25-hp, 3-cylinder Kubota diesel is available on the Turf Tiger to provide heavy-duty, high-torque performance.

ZERO-TURN RIDER

- High-strength, double-tube steel frame ensures a solid foundation for years of reliable service; replaceable front caster wheel weldments.
- Cutter deck driveshaft system provides consistent, reliable power and wide cutting height range; Velocity Plus™ deck cutting heights range from 1" to 6" in 1/4" increments.
- Heavy-duty drive system features 16-cc pumps and high-torque wheel motors for speeds up to 10.5 mph.
- 4-guart hydro system includes large oil cooler to increase efficiency and extend component life. 21CH-LP model includes pump-mounted cooling fans.
- Large drive tires deliver excellent traction and a smooth ride. Diesel model: 24" tires. LP model: 23" tires.

Fabricated, welded and reinforced Velocity Plus cutter deck is ultra-strong and truly commercial grade. Tri-Plate deck is nearly 1/2" thick.

of Tiger Propage and Diesel Powered models differ from model shows above.

- Command-Comfort Operator Station features unprecedented levels of adjustability and ergonomics. 1) Adjustable torsion spring suspension seat, 2) Quick-Fit steering control levers, 3) 3-position deck lift foot pedal.
- Diesel model: Large-capacity, single fuel tank is mounted under the seat to lower the center of gravity for better stability and handling.
- LP model: Single 33.5-lb / 7.9-gallon standard industrial aluminum LP tank mounted above the engine.



W I I am in the second of the

CHEETAH

Riding a mower for 8 hours a day is one of the worst things you can do for your spine and back. I'll do anything I can to relieve some of that pain and stress. The suspension system on the Cheetah is genius, and is what sold me on this machine. The Cheetah's suspension has made my body and back feel better, which is more important than I can explain. In this business, your body is everything, and when your body goes, you're done. If Scag can make a mower that prolongs my business career, then I'm a lifetime buyer. Thanks again, Scag.

COLE KNEHANS

KNEHANS LAWN AND LANDSCAPE HIGGINSVILLE, MO





- Quick-FittM steering control levers (61° and 72° models only), the Operator Suspension System, and a spacious footplate reduce fatigue for comfortable operation.
- Double-tube mainframe (61" and 72" models only) makes the Cheetah tough, durable and dependable year after year.
- Extra-low center of gravity gives the Cheetah surefooted stability on a wide variety of terrain.
- Fabricated, welded and reinforced Velocity PlusTM cutter deck is ultra-strong and truly commercial grade. Tri-Plate deck top is nearly ½" thick.
- Patented deck-leveling adjustment bracket lets you quickly level the cutter deck with the turn of a bolt.
- A choice of Kawasaki FX, Kohler, or Briggs & Stratton air-cooled engines give the Cheetah plenty of power.
- Dual tanks provide up to 15-gallon fuel capacity (10-gallon capacity on 48" and 52" models) to keep you mowing for hours, ensuring better productivity.
- Heavy-duty Ogura GT3.5 clutch provides 250 ft/lbs (Ogura GT5 on 35CV-EFI and 31FX models provides 350 ft/lbs) of holding strength and features an adjustable air gap for long service life.

- Adjustable three-position steering lever dampener mounting lets you customize the feel and responsiveness of the controls for easier operation.
- Dual integrated Hydro-Gear transaxles give you responsive, dependable power; a cooling fan on each unit keeps operating temperatures low.
- Large capacity hydraulic system increases component efficiency and extends system life.
- Extra-large drive tires provide dependable traction and a smooth ride.
- 6" wide, flat-free front caster tires have tapered roller bearings in the axles and pivots for long life; lip seals keep grease in and dirt out.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Cheetah. (Specific functions vary by mower model and engine.)
- Integrated tie-down locations make securing the Cheetah on a trailer simple.





OPERATOR SUSPENSION SYSTEM

Isolates the operator station from the effects of rough terrain. A coil-over shock provides effective suspension action right where it's needed, and only where it's needed, for a smooth ride. Adjust the suspension system on the fly from firm to soft with a selection of five settings to match your personal preference.

This ultra-simple design utilizes only three moving parts to cushion the operator while maintaining the structural integrity of the mower's frame. Most importantly, this suspension system has no negative effect on the quality-of-cut.

48"/52" CHEETAH

Cheetah™ models with a 48" or 52" Velocity Plus™ cutter deck feature Hydro-Gear ZT-3400 transaxles, 23" drive tires, ground speeds up to 10.5 mph and 10-gallon fuel capacity.



The comfortable, contoured scat features rubber iso-mounts at four points to absorb vibration and increase comfort.



Two-speed selector (61° and 72° models) lets you choose either low-range to travel up to 12 mph or highrange for up to 16 mph. The single-speed transacles on 48° and 52° models deliver speeds up to 10.5 mph.



Adjust the height of cut in seconds from 1%" to 5" right from the seat with the improved vertical lacing, foot-operated cutting height adjustment with convenient, adjustable, three-position foot pedal.









- Heavy-duty tubular steel frame provides a solid foundation for years of reliable service; replaceable front caster wheel weldment.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and truly commercial-grade. Tri-Plate deck is nearly ½* thick. Powerful drive system features dependable design, while dual 12-cc pumps and high-torque, cast-iron wheel motors ensure reliable power.
- Up to 12 mph forward and 5 mph reverse ground speeds make quick work of tough jobs.
- Low center of gravity delivers sure footing on a variety of terrain.
- Torsion spring suspension seat on most models adjusts to operator's weight to provide superior comfort. Seat features full padding, forward / rearward adjustment, high back, adjustable armrests and adjustable back angle. Some models feature a "Soft-Ride" seat.
- 4-point rubber iso-mounting provides additional comfort to the seat.
- 9.5-gallon approximate fuel capacity for hours of cutting time. Large fuel tank filler neck allows for quick refueling. Fuel tank features a molded-in cup holder for extra convenience.
- Large 24* drive tires ensure solid traction and curb climbing ability.

- Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls.
 AUSCO disc brakes for reliable performance.
- Large caster wheels feature tapered roller bearings for long life. Lip seals keep grease in and dirt out.
- Tough idler pulley system features all-steel pulleys, high-quality bearings and pulley bearing debris guards for long, reliable service.
- Tiger EyeTM Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Tiger Cat[®] II. (Specific functions very by movine model & engine.)
- User-friendly design provides simple operation and allows easy access for maintenance.
- Air-filtration systems ensure clean engine air for maximum power and long life; heavy-duty remote canister filter on Kawasaki FX and Kohler engines; cartridge-style filter on Kawasaki FS engine.
- All Tiger Cat II models include standard twin-stick steering controls, pneumatic (air-filled) front caster tires and foldable Roll-Over Protection System (ROPS).

PRODUCTIVE ACCESSORIES TO CUSTOMIZE YOUR TIGER CAT

You can increase the productivity of your Tiger Cat II using any of these optional accessories; grass catchers, flat-free caster tires, Quick-FitTM steering levers, mulching systems, Tiger Striper, Operator-Controlled Discharge Chute (OCDC), chrome wheel covers, trailer hitch and halogen light kit.





Operator-friendly instrument panel includes a conveniently located ignition switch, cutter deck engagement switch, choke, throttle controls and Tiger Eye Advanced Monitoring System.



High-torque, cast-iron wheel motors ensure dependability. Heavy-duty drive system is designed for reliability.



Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength. Adjustable air gap for long life.



Entire foot plate area lifts to provide complete access to the top of the deck for easy servicing.



Adjustable, 3-position foot pedal deck lift makes changing the height-of-cut fast and easy. Adjuste from 1" to 5" in 14" increments.




Rugged 12cc hydraulic pumps feature pressure relief valves and top-mounted fans for added reliability and longer life.

SCAG

TIGER CRT PROMOTIONAL MODELS

EARNING ITS STRIPES WITH AGILITY & POWER

Highly maneuverable and equal parts tough and productive, the Tiger Cat® makes quick work of open areas while also easily getting through tight spots. Built with a heavy-duty tubular steel frame, the Velocity Plus™ deck, and a powerful drive system, this mower delivers it all in big cat style. Featuring a low center of gravity and large 24" drive tires, the Tiger Cat provides the stability and traction you need for challenging terrain. A weight-adjustable torsion spring suspension seat, ensures a comfortable ride as you get the job done.



Foot pedal deck lift makes changing the height-of-out fast and easy. Adjusts from 1" to 5" in 14" increments.



Rugged, dual 10cc hydraulic pumps feature pressure relief valves for added reliability and longer life.

|| ZERO-TURN RIDER

- Choice of two engine models, each offering incredible value: Kawasaki 22hp FX engine paired with a 52* Velocity Plus™ deck, or Kohler 26 hp Command Pro EFI engine with 61* Velocity Plus deck.
- Powerful drive system features dependable design, while dual 10cc pumps and high-torque, cast-iron wheel motors ensure reliable power.
- Up to 10 mph forward and 4.5 mph reverse ground speeds make quick work of tough jobs.
- Fabricated, welded and reinforced Velocity Plus cutter deck is ultra-strong and true commercial grade. Tri-Plate deck is nearly ½" thick.

7-gallon approximate fuel capacity for hours of cutting time.
 Large fuel tank neck allows for quick refueling. Fuel tank features a molded-in cup holder for extra convenience.

TIGER CAT

- Interlocked parking brake system prevents movement when parking on slopes. Mower will not operate with brake engaged, preventing premature brake wear.
- Digital hour meter features pre-programmed maintenance reminders. Hour meter only activates when the engine is running to accurately record engine runtime.





ZERO-TURN RIDER



- 52" or 61" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver maintenance-free, high-performance operation; ½" thick mounting flange.
- Comfortable, thick-cushioned seat is easily adjustable and delivers a high level of operator comfort.
- Low-maintenance mower design greatly reduces grease points for operator convenience.
- 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast. Large, angled fuel neck for easy filling.
- Cup holder and storage tray built into fuel tank for operator convenience.
- Innovative height-of-cut adjustment is quick, and conveniently adjusts in ¼" increments.
- MARBAIN^e cutter blades stay sharper, longer.
- Self-adjusting belt systems keep belts in constant, proper adjustment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Commercial-grade, powder coat paint for a high-gloss finish and increased durability.

- Digital hour meter features pre-programmed maintenance reminders, Hour meter only activates when the engine is running to accurately record engine time.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Low-profile, foldable Roll-Over Protection System (ROPS).
- Extra-low center of gravity for maximum stability over challenging terrain.
- Hydro-Gear ZT3100 or ZT3400 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Ground speeds up to 10 mph (SPZ61) or 8.5 mph (SPZ52) for maximum productivity.
- Large front caster tires and extra-large 22" (SPZ52) or 23" (SPZ61) drive tires for solid traction and a smooth ride.
- Foot-operated parking brake activates a disc brake system: AUSCO disc brakes for reliable performance.
- Rubber iso-mounted footplate for increased operator comfort.
- Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy. Adjustable height-of-cut from 1" to 5" in ¼" increments.
- 2-year commercial or 3-year / 500-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for complete details.



Powerful Kawasaki FX V-Twin engine options up to 23 hp provide smooth, reliable power.



Convenient operator station puts the mower controls within easy reach.



Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded steel footplate is rubber iso-mounted for enhanced comfort.



Four-corner deck leveling system ensures easy cutter deck adjustments for an even cut.



Ogura PTO clutch brake for easy deck engagement. Adjustable internal air gap for long life.





Love my new Scag Liberty Z. I find myself mowing just to be in this BEAST of a machine. I have had [other brands] prior to purchasing my Scag. I wish I would have known of Scag before. I recently let my neighbor use my mower to compare against his. His reply was, 'I'm going to put mine up for sale and buy a Scag'. He was sold after the first cut. When I buy something, performance, overall strength and cost are important factors. Scag has outdone themselves with the Liberty Z.



WILLIAMSBURG, VA





- Low-maintenance mower design reduces grease points for owner convenience.
- Fully fabricated and welded 48" or 52" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
 This is the same proven deck design found on the Freedom Z models.
- Ground speeds up to 7 mph for high productivity.
- Hydro-Gear ZT2800 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power and feature spin-on oil filters for easy maintenance.
- Extra-low center of gravity for maximum stability.
- Large 11" front caster tires and 20" drive tires for solid traction and a smooth ride.
- Sealed aluminum cutter deck spindles with ball bearings deliver maintenance-free, high-performance operation; ½° thick mounting flange for incredible strength.
- MARBAIN[®] cutter blades stay sharper, longer.
- Self-adjusting belt systems keep belts in constant, proper alignment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Easy access to the engine oil drain and filters for quick and simple maintenance.

- Powder coat paint for a high-gloss finish and increased durability.
- Full-featured instrument panel with all controls within convenient reach of the operator.
- Digital hour meter features pre-programmed maintenance reminders to help you keep your mower running great.
- Large-diameter, padded, adjustable steering levers for ergonomic operation.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- A variety of accessories are available to meet your specific needs;
 - Grass Collection System
- Mulch System
- Halogen Light Kit
- Armrests
- Trailer Hitch
- Deck Transport Latch
- Wide, spacious foot plate with extruded traction pattern for safe traction while getting on and off the mower.
- Cushioned, contoured and bolstered seat delivers a high level of comfort.
- 5-year / 750-hour non-commercial mower warranty.
 See the Scag Limited Warranty Statement for details.



Heavy-duty tubular steel frame provides a solid foundation for years of reliable service.



Cushioned and bolstered seat is adjustable and delivers a high level of comfort.



Spacious footplate has pierced, extruded steel pattern, allowing dirt and debris to fall through to maintain safe foot grip.



Easy-to-use height-of-cut adjustment is quick, and conveniently adjusts from 1½" to 4½" in 14" increments.



Powerful Kohler 7000 series V-Twin engine options provide smooth, reliable power. Protected by a heavyduty near engine guard.



5.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast. Cup holder built into fuel tank for operator convenience.